



Board of Commissioners

Ben Hill County Georgia

402-A East Pine Street

Fitzgerald, Georgia 31750-2866

Telephone (229) 426-5100 Telefax (229) 426-5630

www.benhillcounty.com

Philip C. Jay III, Chairman

Daniel Cowan, Vice-Chairman

Bennie Calloway, Commissioner

John William Mooney, Commissioner

Hope Harmon, Commissioner

Frank E. Feild, County Manager

Donna R. Prather, County Clerk

Tim Kegebein, Road Superintendent

Toni Sawyer, County Attorney

2017 LMIG Road Improvements

Bid Packet

August 16, 2016

To: Paving Contractors

Re: **Project No: PISO14558**

Project Name: Ben Hill County 2017 Road Improvements

The Ben Hill County Board of Commissioners is currently accepting bids for **4.536 miles** of plant mix resurfacing on various roads in Ben Hill County. Bids must be received by **2:00 p.m. on Thursday, September 15, 2016.** Bids will be publicly opened and read at the Ben Hill County Offices, 402-A East Pine Street, on **Thursday, September 15, 2016 at 2:00 p.m.**

All bids must be sealed and marked as **Ben Hill County Board of Commissioners 2017 Road Improvements** when delivered.

All bids submitted shall be subject to acceptance or rejection and the Ben Hill County Board of Commissioners specifically reserves the right to accept or reject any or all bids, and to waive any technicalities and formalities in the bidding.

Please find attached information needed to submit your bid, including Bid Procedures for the Ben Hill County Board of Commissioners.

If additional information is needed, please do not hesitate to contact me at (229) 426-5100.

Respectfully submitted,



Frank E. Feild

County Manager

Encl: Bid Procedures, Non-Collusion, Non-Discrimination, Declaration, W-9, 2017 LMIG, Project Report, Bethlehem Church Rd. Map, Lower Rebecca Rd. Map, Joshlyn Rd. Map, Peter Coffee Rd. Map, Justice Ave. Map, Typical Resurfacing Section, Bid Sheet

Bid Procedures for the Ben Hill County Board of Commissioners

Only Georgia Department of Transportation Prequalified **Contractors and Registered Subcontractors (Confirmed List)** may submit Competitive Sealed Bids and must meet DOT specifications for testing and construction.

Offeror/Bidder shall submit all required forms and information simultaneously with Competitive Sealed Bid; which forms and information become the property of the Ben Hill County Board of Commissioners and will not be returned to bidders unless a written request to withdraw is received prior to bid deadline.

Bid Bond must be included; 5% of bid amount by Certificate or Business Check.

The Ben Hill County Board of Commissioners specifically reserves the right to accept or reject any and/or all bids; and to waive any technicalities and formalities in the bidding. Price may be one of the factors considered by the County in making the final decision, but it will not be the only factor. All submitted bids will be evaluated in accordance with the criteria provided in the Bid Procedure Checklist and with regard to what is most advantageous to the County.

The apparent low bidder will be noted at the bid opening. However, calculations will be verified, as well as required documents. Formal bid award will be mailed to the successful bidder(s) within one (1) week of the bid opening.

Contractors are responsible for traffic control per Department of Transportation.

It shall be the responsibility of the paving contractor to certify that the asphalt mix specified in the contract meets DOT standards. The contractor shall furnish this certification to the Ben Hill County Board of Commissioners in writing.

Non-Collusion Affidavit of Bidder

State of _____

County of _____

_____, being duly sworn, deposes and says that:

- (1) He/She is _____ (owner, partner, officer, representative, or agent) of _____, the Bidder that has submitted the Bid;
- (2) He/She is fully informed respecting the preparation and contents of the bid and of all pertinent circumstances respecting such bid;
- (3) Such bid is genuine and is not a collaborative or sham bid;
- (4) Neither the said Bidder, nor any of its partners, owners, agents, representatives, employees or parties in interest, including this affiant, has in any way colluded, conspired, connived or agreed, directly or indirectly with any other Bidder, firm or person to submit a collusive or sham Bid in connection with the Contract, or has in any manner, directly or indirectly, sought by agreement or collusion or communication or conference with any other Bidder, firm or person to fix the price or prices in the Bid or any other bidder, or to fix any overhead, profit or cost element of the bidding price of any other bidder, or to secure through any collusion, conspiracy, connivance or unlawful agreement any advantage against the Ben Hill County Board of Commissioners or any person interested in the Contract; and
- (5) The price or prices in the bid are fair and proper and are not tainted by any collusion, conspiracy, connivance or unlawful agreement on the part of the bidder or any of its agents, representatives, owners, employees, or parties in interest, including this affiant.

Signed: _____

Title: _____

Subscribed and sworn to before me this _____ day of _____ 2016.

NOTARY PUBLIC

My Commission Expires _____

(SEAL)

Certification of Non-Discrimination

I hereby certify that _____ (Company) is an Equal Opportunity Employer and hires without respect to race, religion, creed, or ethnic origin. I understand that I may be subject to an audit with respect to hiring practices.

_____ (Signature)

_____ (Title)

_____ (Date)

Bidder's Declaration

(Contributions to local government officials do not preclude you from bidding or being awarded this contract; however, such contributions must be disclosed.)

Has Bidder made, within two (2) years immediately preceding the filing of this Bid, campaign contributions aggregating \$250.00 or more to the County Manager or any member of the Ben Hill County Staff or any member of the Ben Hill County Board of Commissioners, Fitzgerald, Georgia?

_____ YES _____ NO (* If yes, the following information is required.)

Name of County government official(s) to whom made: _____

Amount of each contribution made by Bidder and date: _____

An enumeration date and description of each gift having a value of \$250.00 or more made by the applicant to the County government official during the two (2) immediately years preceding the bid: _____

_____ (Owner Signature)

_____ (Signature of Authorized Agent)

_____ (Date)

Ben Hill County – Project Report

1	<p>Road Name: Bethlehem Church Rd Co. Rd. No: 68 Beginning at: Nora Morris Road Ending at: Thistle Lane</p>	<p>Length (MI): 1. Width (FT): 21 Req'd. Striping: CEN LINE/EDGE LINE/ Stop bar</p>	<p>Proposed Construction: ASPHALT LEVELING 9.5MM SUPERPAVE, TP I, GP 1 OR BL 1 AT 130 LB/SY</p>
2	<p>Road Name: Lower Rebecca Road Co. Rd. No: 248 Beginning at: Hwy 90 Ending at: Hwy 129</p>	<p>Length (MI): .842 Width (FT): 25 Req'd. Striping: CENTER LINE/EDGE LINE</p>	<p>Proposed Construction: ASPHALT LEVELING 9.5MM SUPERPAVE, TP I, GP 1 OR BL 1 AT 130 LB/SY</p>
3	<p>Road Name: Joshlyn Road Co. Rd. No: 170 Beginning at: Hwy 129 Ending at: Rhine Road</p>	<p>Length (MI): .694 Width (FT): 25 Req'd. Striping: CENTER LINE/EDGE LINE</p>	<p>Proposed Construction: ASPHALT LEVELING 9.5MM SUPERPAVE, TP I, GP 1 OR BL 1 AT 130 LB/SY</p>
4	<p>Road Name: Joshlyn Road Co. Rd. No: 170 Beginning at: Rhine Road Ending at: Brier Road</p>	<p>Length (MI): .454 Width (FT): 21 Req'd. Striping: CENTER LINE/EDGE LINE</p>	<p>Proposed Construction: ASPHALT LEVELING 9.5MM SUPERPAVE, TP I, GP 1 OR BL 1 AT 155 LB/SY</p>
5	<p>Road Name: Peter Coffee Co. Rd. No: 360 Beginning at: Lower Rebecca Road Ending at: Dead End.</p>	<p>Length (MI): .400 Width (FT): 21 Req'd. Striping: CEN LINE/EDGE LINE/Stop Bar</p>	<p>Proposed Construction: ASPHALT LEVELING 9.5MM SUPERPAVE, TP I, GP 1 OR BL 1 AT 145 LB/SY</p>
6	<p>Road Name: Justice AVE Co. Rd. No: 236 Beginning at: Lower Rebecca Road Ending at: HWY 129</p>	<p>Length (MI): 1.146 Width (FT): 21 Req'd. Striping: CEN LINE/EDGE LINE/Stop Bar</p>	<p>Proposed Construction: ASPHALT LEVELING 09.5MM SUPERPAVE, TP I, /GP 1 OR BL 1 AT 125 LB/SY</p>

2017 L.M.I.G. Materials


Road Name	Miles	Width	Feet	Sq. Yd. plus 3%	LBS/ SY	9.5 mm TN	LBS/ SY	Leveling TN	Tack Coat GL	5" Solid White LM	5" Solid Yellow LM	5" Skip Yellow GLM	Stop Bar white L FT
Bethlehem Church	1.000	21.0	5280.0	114206.0	130	825	55	350	1569	2.000	1.527	0.420	11.000
Lower Rebecca	0.842	25.0	4450.0	114587.0	130	828	55	350	1574	1.684	0.787	0.367	
Joshlyn to rhine rd	0.694	25.0	3666.0	94400.0	130	682	55	289	1297	1.388	1.015	0.959	
Joshlyn start rhine	0.454	21.0	2400.0	51912.0	155	447	55 spot	20	357	0.908			
Peter Coffee	0.400	21.0	2112.0	45683.0	145	368	55 spot	60	314	0.800	1.600		11.000
Justice Ave	1.146	21.0	6052	130905	125	909	55 spot	54	899	2.292	0.779	0.420	11.000
Totals	4.536 Miles		23960.0	551693.0		4059		1123	6010	9.072	5.708	2.166	33.000


9.5mm

LMIG-2017


**Ben Hill County
L.M.I.G. – 2017**

Item	Description	Units	Quantity	Price	Total
150-1000	Traffic Control – 4.536 Miles Level & Resurface: 5 County Roads	LS	1.000		
402-1812	Recycle Asph. Conc. Leveling, incl. Bitum Matl. & H. Lime	TN	1,123		
402-3100	Recycle Asph. Conc. 9.5 mm Superpave , TP I, GP 1 or BL 1, incl. Bitum Matl. & H. Lime	TN	4,058		
413-1000	Bitum Tack Coat	GL	6,010		
652-2501	Solid Traffic Stripe, 5 in., White	LM	9.072		
652-2502	Solid Traffic Stripe, 5 in., Yellow	LM	5.708		
652-3502	Skip Traffic Stripe, 5 in., Yellow	GLM	1.746		
653-1704	Thermoplastic Solid Traffic Stripe 24 inch White	LF	33		
				Total Bid:	





TYPICAL RESURFACING SECTION



RECD ① 125 LBS PER SY ASFH CONC 9.5 MM SUPERPAVE, TP 1, GP1 OR BLEND 1, INCL BITUM MATL & H. LIME
 RECD ② ASFH CONC LEVELING, INCL BITUM MATL & H. LIME TO BE PLACED AS DIRECTED BY THE ENGINEER.

NOTE: THE WIDTH OF PAVING OF TURNOUTS FOR SIDEWAYS AND DRIVES SHALL BE AS REQUIRED TO PROVIDE A SMOOTH AND WELL DRAINED TRANSITION TO AND FROM PUBLIC ROADS AND DRIVEWAYS, AS APPROVED BY THE ENGINEER.

THIS TYPICAL SECTION APPLIES TO PRIORITY 4'S AS SHOWN ON THE PROJECT REPORT SHEETS.

1, 2, 4, 5, 6, & 7

PROJECT NO.

COUNTY

CITY


BEN HILL

UNINCORPORATED


CURB AND GUTTER DETAIL

DETAIL FOR FEATHERING SURFACING

CURB AND GUTTER



HEADER CURB



NOTE: METHOD OF FEATHERING AT PAVEMENT EDGE ALTERNATE A OR ALTERNATE B SHALL BE DETERMINED BY THE ENGINEER UNDER NORMAL CONDITIONS. ALTERNATE A SHALL BE USED FOR FEATHERING UNLESS RESURFACING HAS REDUCED THE "EFFECTIVE HEIGHT" OF THE EXISTING CURB TYPE FACILITY. IN THIS EVENT, ALTERNATE B SHALL BE USED.

NOTE: THE ALZERRANCE DIFFERENCE BETWEEN THE NEW FINISH SURFACE AND THE FEATHERING IN THE CURB AND GUTTER SHALL NOT EXCEED 7/2.